



FIG. 1








F I G. 4





F I G. 5



45 DUPLEXER RADIO TRANSMISSION UNIT RADIO RECEIVING **S** POWER SUPPLY UNIT RECEIVING SIGNAL PROCESSING UNIT TRANSMISSION SIGNAL PROCESSING UNIT TO EACH UNIT →AUDIO PROCESSING 29 36 EEPROM ETERNAL T0 800 △⊥ L CP1, CP2 35 ROM RAM 25 887 # ဨ 101 CPU Ø


F I G. 6






F I G. 9

SETTING	THRESHOLD	RANGE
11111111	255	мах
11011111	2 2 3	
10111111	191	
10011111	159	
01111111	1 2 7.	
01011111	9 5	
00111111	6 3	
00011111	3 1	
00000000	0	MIN





SIGNAL Processing PROCESSING Unit TRANSMISSION 42 RECEIVING Signal 43 က AMPLIFICATION UNIT SIDE TONE R 0 **⊠** O S D 34 ~S11, S12 D/A 73, A A/D S11 C P U ო \$12 က Б Б. SIDE TONE AMPLIFICATION UNIT N STEPS Ser 8/2 A/D **AMPLIFIER** 80 76 AMPLIFIER VREF ∑ × DETECTING & SMOOTHING UNIT ≊ S S 3  $\overline{c}$ るっ 102 22

F I G. 12

